Dart Aerospace Ltd. Monday, 10/22/2007 3:57:24 PM Kim Johnston User: **Process Sheet Drawing Name** : TUBE ASSEMBLY : CU-DAR001 Dart Helicopters Services Customer Job Number : 11919 Estimate Number ATU: : D2003037 Part Number P.O. Number S.O. No. : NA : 10/22/2007 **Drawing Number** This Issue : N/A Prsht Rev. Project Number : SMALL /MED FAB First Issue **Drawing Revision** : 27296 :NA Material **Previous Run Due Date** : 11/5/2007 5 Um: Each Written By Checked & Approved By Re-format EC : Est 00.01.12 Comment **Additional Product** Job Number: Description: Seq. #: Machine Or Operation: 304 RD Tube .500 x .035W 1.0 M304TR0500W035 Comment: Qty.: 10.2286 f(s) 2.0457 f(s)/Unit Total: CONFIRM TO ENG. THE FOLLOWING 304 RD Tube .500 x .035W MAKE PER TEMPLATE . LENGTHS: (1) HEAT SLEWE LONGTH = 25.5 Cut as per template D2003-037 (23:38" long) (2) CUT LENGTH OF TUBE = (24.8) GK Material: 1/2"Æ x 0.035" wall AISI 304 SS tubing NOTE: DIMENSIONS SHOWN ABOVE Cut: 23.38" long as per Dwg D2003 ARE FOR REFERENCE Material: M2650-6 Heat sleeve ONLY . Batch: 2.0 M26506 Firesleeve-crkl .375IDia Comment: Qty.: 2.0700 f(s)/Unit Total: 10.3500 f(s) Firesleeve-crkl .375IDia 3.0 MS208198J Sleeve Comment: Qty.: 2.0000 Each(s)/Unit Total: 10.0000 Each(s) Pick Qtv Part Number Desc MS20819-8J Sleeve 4.0 AN8188J Comment: Qty.: 2.0000 Each(s)/Unit Total: 10.0000 Each(s) Pick

(a) M106074(29

Qty Part Number Desc

Nut

AN818-8J

Batch:

Dart Aerospa	ce Lt	d
--------------	-------	---

-4.67.0	. oopaoo L													
W/O:		WORK ORDER CHANGES												
DATE	STEP	PRO	OCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector						
		·												
			:	4	-									
								-						
Part No	:	PAR #:	Fault Category:	NCR: Yes	No DQ	A:	Date: _	Mislo						
				QA:	N/C Close	d:	_ Date: _	· · · · · · · · · · · · · · · · · · ·						
NCR:		WORK ORDER NON-CONFORMANCE (NCR)												

NCR:			WORK ORDER NON-CONFORMANCE (NCR)													
DATE		Description of NC		Corrective Action Section B	Verification	Approval Chief Eng	Approval QC Inspector									
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	on Description Sign & Date											
		*														
			:													
		*														
						1										
				•			120									
				•												

NOTE: Date & initial all entries

Monday, 10/22/2007 3:57:24 PM Date: Uśer: Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: TUBE ASSEMBLY Job Number: 35294 Part Number: D2003037 Job Number: Seq. #: Description: Machine Or Operation: D3158045 Heat Shrink 1" x 4.5" 5.0 Comment: Qty... 1.0000 Each(s)/Unit Total: 5.0000 Each(s) Heat Shrink 1" x 4.5" Pick: Qty Part Number Description Heat shrink D3158-045 6.0 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 Form tube as per template D2003-037 Assemble as per Dwg D2003 QC5 INSPECT WORK TO CURRENT STEP 7.0 Comment: INSPECT WORK TO CURRENT STEP PACKAGING 1 PACKAGING RESOURCE #1 8.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 9.0 QC21 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE Job Completion W 87.12.04

## Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES													
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector								
Part No:		PAR #: Fault Category: N	CR: Yes	No DQ	<b>4:</b>	_ Date: _									

QA: N/C Closed: \_\_\_\_ Date: \_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)												
DATE		Description of NC		Corrective Action Section B	Varification									
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	- Verification Section C	Approval Chief Eng	Approval QC Inspector						
		÷	·											
						-								
							t-							

NOTE: Date & initial all entries





DESIG	94)	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA						
011501	<u>, , , , , , , , , , , , , , , , , , , </u>	400000							
CHEC	79	APPROVED	DRAWING NO. REV. B						
4	45	1 47	D2003 SHEET 1 OF 2						
DATEV			TITLE SCALE						
99.0	6.08		206 CABIN HEATER TUBE ASSEMBLIES NTS						
Α		90.04.09	NEW ISSUE						
В		99.06.08	UPDATE PER TEMPLATES; ADD P/N'S; 0.025 TUBING NOW 0.035 (TSR1049)						

RELEASED 44.06.08 KED

UNDER REVIEW

REPORT CORRECT DIMENSIONS,
TO ENG.
MAKE PER TEMPLATE. \$01 10.22

										4.6	TAKE VEIL IEM	WONE_ N
(1)		HEATSLEEVE LENGTH <sup>1</sup>	CUT LENGTH OF TUBE <sup>2</sup>	MS20819-8J SLEEVE	AN818-8J NUT	MS20819-8D SLEEVE	AN818-8D NUT	MS20819-6D SLEEVE	AN818-6D NUT	9.0	A A A FOT	VENDOR OR
P/N	TEMPLATE		ļ							DESC.	MATERIAL 46/7	SPEC
D2003-001	T2003-001	5.2	6.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-003	T2003-003	7.3	8.12					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-005	T2003-005	9.8	10.62					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-007	T2003-007	20.0	19.63					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-009	T2003-009	12.38	12.44					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-011	T2003-011	33.31	32.38		<u> </u>			2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-013	T2003-013	12.7	13.54					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-015	T2003-015	17.2	18.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-017	T2003-017	17.0	16.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-019	T2003-019	9.8	10.62			2				TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-021	T2003-021	N/A	2.25			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-023	T2003-023	4.5	5.33	,		2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-025	T2003-025	9.8	10.60	, i		2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-027	T2003-027	7.25	7.38			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-029	T2003-029	17.2	18.00			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-031	T2003-031	14.6	15.38	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-033	T2003-033	29.75	29.62	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-035	T2003-035	24.7	27.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-037	T2003-037	122024 ·	155238	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-039	T2003-039	34.0	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-041	T2003-041	6.0	5.88	2	2					TÜBE ASS'Y	CRES 0.500 OD x 0.035 W	AI\$I 304
D2003-043	T2003-043	11.7	10.75	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-045	T2003-045	3.50	2.44	2	2	11				TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-047	T2003-047	5.56	5.56	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-049	T2003-049	33.2	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-077	T2003-077	N/A	6.25					1	1	JET	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-101	T2003-101	13.25	13.13					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-103	T2003-103	12.38	12.00		-,	1		2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-105	T2003-105	10.75	10.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-107	T2003-107	12.75	12.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-109	T2003-109	8,25	8.125			2	2	1		TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6
D2003-111	T2003-111	4.75	4.625			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6
D2003-116	T2003-116	4.0	7							HEATSLEEVE	M2650-20 CRINKLE-SOFT	STRATOFLEX
D2003-120	T2003-120	4.0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-14	T2003-14	4.0	<del></del>							HEATSLEEVE	M2650-14 CRINKLE-SOFT	STRATOFLEX
D2003-16	T2003-16	4.0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-205	T2003-205	9.75	9.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-207	T2003-207	3.75	3.75					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	COPWW-T-700/6
											SHO!	CC1 -
								$\neg \uparrow$			RETU	RN TO
<del></del>				. <u>.                                   </u>			l				1001	


ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT


WORKORDER Y





	DESIGN	DRAWN BY	DART AEROSPACE LTD	
	#	10	HAWKESBURY, ONTARIO, CANADA	
	CHECKED	APPROVED.	DRAWING NO.	REV. B
	4-6	14	D2003 SHEET	2 OF 2
1	DATE	··	TITLE	SCALE
- 1	99.06.08		206 CABIN HEATER TUBE ASSEMBLI	ES NTS





UNDER REVIEW

## Notes:

- (1) USE STRATOFLEX M2650-6 CRINKLE-SOFT HEATSLEEVE.
- (2) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATES.
- (3) TUBES TO BE FLARED 30° TO MATE WITH FITTINGS MADE TO MS33514.
- (4) ENSURE SEAMLESS TUBING IS USED.
- (5) INSTALL HEATSLEEVE OVER ALL TUBES WITH A DESIGNATED LENGTH OF HEATSLEEVE PER THE PARTS LIST.
- (6) 5052 (WW-T-700/4) TUBING MAY BE SUBSTITUTED WHEN 6061 TUBING IS NOT AVAILABLE.
- (7) 0.049 WALL THICKNESS CRES TUBING MAY BE SUBSTITUTED WHEN 0.035 IS NOT AVAILABLE.
- (8) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.

